

Scientific CMR Publications:

(from RD&E CMR personnel and the RD&E CMR unit)

Scientific papers;

Bellenger NG, Peebles C, Curzen. Cardiac Magnetic Resonance for the Interventionist. *EuroIntervention* 2006; 1: 445-453

Bellenger NG, Peebles C, Harden S, Dawkins KD, Curzen N. Troponin Positive Chest Pain With Unobstructed Coronary Arteries: a Role for Delayed Enhanced Cardiovascular Magnetic Resonance in the Diagnosis of Non-ST Elevation Myocardial Infarction? *J Inv Cardiol* 2006; 18: 594-8

Bellenger NG, Hobson AR, Curzen. Non-ST-elevation myocardial infarction: is this an appropriate diagnosis in troponin-positive chest pain, minimal angiographic coronary artery disease, and no myocardial necrosis by contrast-enhanced cardiac magnetic resonance? *Am J Cardiol*. 2006; 98:709

Bellenger NG, Yousef ZR, Rajappan K, Marber M, Pennell DJ. Infarct zone viability influences ventricular remodeling of an occluded infarct related artery. *Heart* 2005; 91: 478-83

Bellenger NG. Cardiac magnetic resonance-directed intervention in non-ST-segment elevation acute coronary syndrome. *J Am Coll Cardiol*. 2005; 46: 563-4

Bellenger NG, Rajappan K, Lahiri A, Raval U, Webster J, Murray G, Coats AJS, Cleland J, Pennell. D. Carvedilol causes left ventricular reverse remodeling in patients with chronic stable heart failure. *Heart* 2004; 90: 760-4.

Grothues F, Moon JC, **Bellenger NG**, Smith GS, Klein HU, Pennell DJ. Interstudy reproducibility of right ventricular volumes, function and mass with cardiovascular magnetic resonance. *Am Heart J* 2004; 147: 218-23.

Jeetley P, Swinburn J, Hickman M, **Bellenger NG**, Pennell DJ, Senior R. Myocardial contrast echocardiography predicts left ventricular remodeling following acute myocardial infarction. *J Am Soc Echo* 2004; 17: 1030-6.

Rajappan K, Rimoldi OE, Camici PG, **Bellenger NG**, Pennell DJ, Sheridan DJ. Functional changes in coronary microcirculation after valve replacement in patients with aortic stenosis. *Circulation* 2003; 107: 3170-5.

Rajappan K, **Bellenger NG**, Melina G, Di Terlizzi M, Yacoub MH, Sheridan DJ, Pennell DJ. Assessment of left ventricular mass regression after aortic valve replacement – cardiovascular magnetic resonance versus M-mode echocardiography. *European Journal of Cardiothoracic Surgery* 2003; 24: 59-65.

Grothues F, Smith GS, **Bellenger NG**, Collins P, Klein HU, Pennell DP. Comparison of interstudy reproducibility of cardiovascular magnetic resonance and 2D echocardiography in normal subjects and in patients with heart failure or left ventricular hypertrophy. *Am J Cardiol* 2002; 90: 29-34.

Bellenger NG, Swinburn JM, Rajappan K, Lahiri A, Senior R, Pennell DJ. Cardiac remodelling in the era of aggressive medical therapy: does it still exist? *Int J Cardiol.* 2002; 83: 217-25.

Bellenger NG, Marcus NJ, Rajappan K, Yacoub M, Banner NR, Pennell DJ. Comparison of techniques for the measurement of left ventricular function following cardiac transplantation. *J Cardiovasc Magn Reson* 2002; 4: 255-63.

Myerson S, **Bellenger NG**, Pennell DJ. Assessment of Left Ventricular Mass by CMR. *Hypertension.* 2002; 39: 750-5.

Rajappan K, Melina G, **Bellenger NG**, Amrani M, Khaghani A, Pennell DJ, Yacoub MH. Evaluation of left ventricular function and mass after Medtronic freestyle versus homograft aortic root replacement using cardiovascular magnetic resonance. *J Heart Valve Dis.* 2002; 11: 60-6.

Myerson SG, Kon M, **Bellenger NG**, Moat N, Pennell DJ. Lipomatous hypertrophy of the heart presenting as a chronic pericardial effusion with subsequent tamponade. *Am J Cardiol* 2002

Bellenger NG, Naylor E, Williams C, Duffy J. Balancing the books. *Clin Med* 2001; 1 (4): 328.

Bunce NH, Moon JCC, **Bellenger NG**, Keegan J, Grothues F, McCrohon JA, Francis JM, Smith GC, Burman ED, Firmin DN, Hoffman VW, Pennell DJ. Improved cine cardiovascular magnetic resonance using Clariscan™ (NC100150 injection). *J Cardiovasc Magn Reson* 2001; 3: 303-10.

Bellenger NG, Burgess M, Ray SG, Coats A, Lahiri A, Cleland JGF, Pennell DJ on behalf of the CHRISTMAS steering committee and investigators. Comparison of left ventricular ejection fraction and volumes in heart failure by two-dimensional echocardiography, radionuclide ventriculography and cardiovascular magnetic resonance: are they interchangeable? *Eur Heart J* 2000; 21: 1387-96.

Bellenger NG, Marcus NJ, Davies CL, Yacoub MH, Banner NR, Pennell DJ. Left Ventricular Function and Mass After Orthotopic Heart Transplantation: A Comparison of Cardiovascular Magnetic Resonance with Echocardiography. *J Heart Lung Transplant* 2000; 19: 444-52.

Bellenger NG, Francis JM, Davies LC, Coats AJS, Pennell DJ. Establishment and performance of a magnetic resonance cardiac function clinic. *J Cardiovasc Magn Reson* 2000; 2 : 15-22.

Bellenger NG, Gatehouse PD, Rajappan K, Keegan J, Firmin DN, Pennell DJ. Left ventricular quantification in heart failure by cardiovascular MR using prospective respiratory navigator gating: comparison with breath-hold acquisition. *J Mag Reson Imag* 2000; 11: 411-7.

Bellenger NG, Davies LC, Francis JM, Coats AJS, Pennell DJ. Reduction in sample size for studies of remodelling in heart failure by the use of cardiovascular magnetic resonance. *J Cardiovasc Magn Reson* 2000; 2: 271-8

Bellenger NG, Grothues F, Smith GC, Pennell DJ. Quantification of right and left ventricular function by cardiovascular magnetic resonance. *Herz* 2000; 25(4): 392-399

Rajappan K, **Bellenger NG**, Anderson L, Pennell DJ. The Role of Cardiovascular Magnetic Resonance in Heart Failure. *Eur J Heart Failure* 2000; 2(3): 241-52

Bellenger NG, Pennell DJ. Magnetic resonance imaging in cardiology. *J R Coll Physicians London*. 1999; 33: 12-18.

Bellenger NG, Pennell DJ. Risk assessment in CAD - Acute phase assessment: Competing modalities. *J Nucl Cardiol* 1999; 6: 126-8.

Bellenger NG, Pennell DJ. Magnetic resonance imaging: A role for the intensive care unit. *Int J Intens Care* 1999; Autumn suppl: 43-50.

Verani MS, Heller GV, **Bellenger NG**, Brown KA, Christian TF, Pennell DJ, Shaw LJ, Tatum JL, Wackers F, Ziffer JA. Wintergreen panel summaries - Panel IV- Risk assessment in CAD II- Acute phase. *J Nucl Cardiol* 1999; 6: 121-30.

Bellenger NG, Pennell DJ. Magnetic resonance imaging in cardiology. *Trends in Cardiovascular Disease* 1998; 2: 36-40.

Book chapters;

Bellenger NG, Pennell DJ. Assessment of cardiac function. In *Cardiovascular Magnetic Resonance*. Eds Pennell DJ. Churchill Livingstone, USA. 2002, 99-113.

Bellenger NG, Pennell DJ. Magnetic resonance imaging in the diagnosis and management of angina. In *Angina: A systematic guide to investigation and treatment*. Eds Purcell H, Kadura S. Mosby, London UK. 2001, 22-27.

Bellenger NG, Pennell DJ. Comparison of nuclear and non-nuclear techniques for the combined assessment of perfusion and function. In *Clinical Gated Cardiac SPECT*. Eds Germano G, Berman DS. Futura, New York USA. 1999, 349-77.